

Svařované tvarovky T

DN 100 až DN 1800; PN 6 až PN 100

PN 100

DN	DN ₁	D	t	D ₁	t ₁	d	d ₁	b	t ₂	k	F	H	m	
100	100	114,3	7	114,3	7,0	100,3	100,3	30	11,0	2	105	-	6,9	
	80			88,9	5,6		77,7		8,0			98	5,3	
	65			76,1	5,0		66,1		7,0			95	4,8	
	50			60,3	4,5		51,3		5,0			89	4,5	
125	125	139,7	8	139,7	8,0	123,7	123,7	35	14,0	3	124	-	11,6	
	100			114,3	7,0		100,3		11,0			2	117	9,2
	80			88,9	5,6		77,7		8,0			111	7,9	
	65			76,1	5,0		66,1		7,0			108	7,5	
150	150	168,3	10	168,3	10,0	148,3	148,3	40	16,0	4	143	-	19,8	
	125			139,7	8,0		123,7		12,5			3	137	15,5
	100			114,3	7,0		100,3		10,0			2	130	13,8
	80			88,9	5,6		77,7		8,0			124	12,7	
200	200	219,1	12,5	219,1	12,5	194,1	194,1	50	20,0	4	178	-	40,2	
	150			168,3	10,0		148,3		14,0			168	30,9	
	125			139,7	8,0		123,7		12,5			3	162	27,6
	100			114,3	7,0		100,3		9,0			2	156	25,5
250	250	273,0	16	273,0	16,0	241,0	241,0	60	22,0	5	216	-	75,5	
	200			219,1	12,5		194,1		18,0			4	203	58,6
	150			168,3	10,0		148,3		12,5			194	51,1	
	125			139,7	8,0		123,7		10,0			3	191	48,1
300	300	323,9	18	323,9	18,0	287,9	287,9	70	28,0	7	254	-	121,0	
	250			273,0	16,0		241,0		22,0			5	241	97,4
	200			219,1	12,5		194,1		18,0			4	229	85,5
	150			168,3	10,0		148,3		14,0			219	77,7	
350	350	355,6	20	355,6	20,0	315,6	315,6	80	32,0	7	279	-	164,0	
	300			323,9	18,0		287,9		28,0			270	139,0	
	250			273,0	16,0		241,0		22,0			5	257	121,0
	200			219,1	12,5		194,1		18,0			4	248	109,0
	150			168,3	10,0		148,3		14,0			238	102,0	

PN 6

DN	DN ₁	D	t	D ₁	t ₁	d	d ₁	F	H	m
1400	1400	1422	14	1422	14	1394	1394	1050	-	1559
	1200			1219	12		1195		950	1258
	1000			1016	10		996		950	1161
	800			813	6		801		900	1083
	700			711	4		703		900	1059
1600	1600	1626	16	1626	16	1594	1594	1200	-	2329
	1400			1422	14		1394		1100	1899
	1200			1219	12		1195		1100	1753
	1000			1016	10		996		1050	1654
	800			813	8		797		1050	1609
1800	1800	1829	18	1829	18	1793	1793	1350	-	3406
	1600			1626	16		1594		1250	2814
	1400			1422	14		1394		1250	2617
	1200			1219	12		1195		1200	2460
	1000			1016	10		996		1200	2382

Norma platná od 1. 1. 1991

Tiskařská 690/6a, 108 00 Praha 10
 Tel.: +420 272 700 860
 Fax: +420 272 702 153
 GSM brána: 602 182 090, 606 600 081
 E-mail: trival@trival.cz

NON-STOP 24 HOD. INFORMAČNÍ
 A DODÁVKOVÁ SLUŽBA: 602 217 549
 602 651 061
 602 219 979

www.trival.cz